

- 16 -

Claims:

1. A method for navigating in a computer device containing medical information, comprising:  
providing a first medical module (12, 14, 16, 18, 20, 22, 24,  
5 26, 28, 30) and a second medical module (12, 14, 16, 18, 20,  
22, 24, 26, 28, 30) of a module menu, the first medical module  
being different from the second medical module:  
providing a display (200) displaying the module menu (204) and  
a bookmark activation device (228) for activating a bookmark  
10 module (290);  
selecting the first medical module from the module menu and  
marking a first information segment in the first medical  
module as a first bookmark;  
selecting the second medical module and marking a second  
15 information segment in the second medical module as a second  
bookmark, the first and second bookmarks being stored in the  
bookmark module (290); and  
activating the bookmark activation device to activate and  
display the second bookmark module.

20 2. The method according to claim 1 wherein the method further  
comprises activating a module menu tab 292 in the bookmark  
module (290) and selecting the first medical module to trigger  
the bookmark module to display the first bookmark.

25 3. The method according to claim 1 wherein the method further  
comprises, selecting the second medical module so that the

- 17 -

bookmark module displays the second bookmark.

4. The method according to claim 1 wherein the method further comprises activating a flash memory (224) to display a latest  
5 search command.

5. The method according to claim 1 wherein the method further comprises associating the second medical module to the first bookmark while the first bookmark is associated with the first  
10 medical module.

6. The method according to claim 1 wherein the method further comprises clearing a memory cache (298) containing all  
bookmarks.  
15

7. The method according to claim 1 wherein the method further comprises activating a back arrow (222).

8. The method according to claim 1 wherein the method further  
20 comprises activating a forward arrow (220).

9. The method according to claim 1 wherein the method further comprises using a word processing header H1, ..H7 to create hierarchical conversion of documents.  
25

10. The method according to claim 1 wherein the method further comprises using a link to move within a module and

- 18 -

move to another module and using an expanding link to expand a text portion between existing links.